



BIOHYGIENE

Safer for You. Better for the Environment.

Bio Hygiene Pty Ltd
Unit N4 5-7 Hepar Rd
Campbelltown NSW 2560 Australia

Twitter: @BioHygiene
Web: biohygiene.com.au
Email: info@biohygiene.com.au
Ph: 1800 317 016 / 02 8073 4666

Use of Bevisto W1 + Bevisto W2 - 2025

One full week Bevisto W1 (Acidic) then one full week Bevisto W2 (Alkaline)

| January | | | | | | | |
|---------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W1 | | | 1 | 2 | 3 | 4 | 5 |
| W2 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| W1 | 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| W2 | 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| W1 | 27 | 28 | 29 | 30 | 31 | | |

| February | | | | | | | |
|----------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W2 | | | | | 1 | 2 | 3 |
| W1 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| W2 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| W1 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| W2 | 25 | 26 | 27 | 28 | 29 | | |

| March | | | | | | | |
|-------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W1 | 31 | | | | | 1 | 2 |
| W2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| W1 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| W2 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| W1 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |

| April | | | | | | | |
|-------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W2 | | 1 | 2 | 3 | 4 | 5 | 6 |
| W1 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| W2 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| W1 | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| W2 | 28 | 29 | 30 | | | | |

| May | | | | | | | |
|-----|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W1 | | | | 1 | 2 | 3 | 4 |
| W2 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| W1 | 12 | 13 | 14 | 15 | 16 | 17 | 18 |
| W2 | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| W1 | 26 | 27 | 28 | 29 | 30 | 31 | |

| June | | | | | | | |
|------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W2 | 30 | | | | | | 1 |
| W1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| W2 | 9 | 10 | 11 | 12 | 13 | 14 | 15 |
| W1 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| W2 | 23 | 24 | 25 | 26 | 27 | 28 | 29 |

| July | | | | | | | |
|------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W1 | | 1 | 2 | 3 | 4 | 5 | 6 |
| W2 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |
| W1 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
| W2 | 21 | 22 | 23 | 24 | 25 | 26 | 27 |
| W1 | 28 | 29 | 30 | 31 | | | |

| August | | | | | | | |
|--------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W2 | | | | | 1 | 2 | 3 |
| W1 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| W2 | 11 | 12 | 13 | 14 | 15 | 16 | 17 |
| W1 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| W2 | 25 | 26 | 27 | 28 | 29 | 30 | 31 |

| September | | | | | | | |
|-----------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| W2 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| W1 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| W2 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| W1 | 29 | 30 | | | | | |

| October | | | | | | | | |
|---------|----|----|----|----|----|----|----|---|
| | M | T | W | T | F | S | S | |
| W2 | | | | 1 | 2 | 3 | 4 | 5 |
| W1 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| W2 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | |
| W1 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | |
| W2 | 27 | 28 | 29 | 30 | 31 | | | |

| November | | | | | | | |
|----------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W1 | | | | | | 1 | 2 |
| W2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| W1 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| W2 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| W1 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |

| December | | | | | | | |
|----------|----|----|----|----|----|----|----|
| | M | T | W | T | F | S | S |
| W2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| W1 | 8 | 9 | 10 | 11 | 12 | 13 | 14 |
| W2 | 15 | 16 | 17 | 18 | 19 | 20 | 21 |
| W1 | 22 | 23 | 24 | 25 | 26 | 27 | 28 |
| W2 | 29 | 30 | 31 | | | | |

Over the years a dual pH system has proven to be more effective than a single pH cleaning system.



Beviston/Germany is REACH compliant and certified by DIN ISO EN 9001 + DIN EN ISO 13485 + CE

www.biohygiene.com.au